




I'm not robot  reCAPTCHA

Open

Baixar yumi windows



Baixar yumi para windows 7 64 bits. Baixar yumi para windows 7. Baixar yumi para windows. Baixar yumi para windows xp.

Yumi will try to automatically create this volume tag, however, you can sometimes fail. A new distribution can also be added to the boot device every time the tool is executed. If Yumi is executed from the same location that is stores the ISO files, then they must be automatically detected (* see the known problems below), eliminating the need to navigate for each ISO. Other notes: If multiboots was used, you should reformat the unit and start again. A formatted partition in Extfat will not work. As a result, the devices listed as local disks (fixed) are no longer shown. 19 Mar 2021 Version 2.0.8.4: Some distributions that are no longer under development were eliminated. It also created additional control points for the selection of the unit. Restable your PC. All the disc will be cleaned clean! DiskPart is used to clean the unit's selection unit and then create a unique part using the same drive letter. Secondary confirmation message Added before continuing to clean and format a unit. If everything went well, it should start directly at your Windows installer installation. Yumi Try not listed ISO Á ě ä, ~ "to the options explained by the boot variant: Try the ISO not LISTADA (GRUB Partition 4): This option Start will try to start the ISO file using GRUB. When Windows is boots from the USB for the first time, it will go through the configuration process and then restart. If this option fails, simply delete the flashdrive and restart! * Yumi supports NTFS, however, not all distributions will start from a NTFS formatted device. This method should start with success the majority of Linux-based distributions. Try ISO NOT LISTED Same as boot option 1, but try to start the ISO without using a 4th partition as a placeholder ISO.) - Same as boot option 2, but try to restore the ISO in system memory and boot from there. If you do find a distribution n, distribution n, TOOBITLUM BSU RUOY (IMUY RUDAELSIM TROPES) Muskehc (6.6.0.2; Noisrev Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo 11 EGAP Gndaelsim Tropes) Musclé HC (5.6.0.2; Noisrev Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo 01 EGAP Gndaelsim Tropes) Musclé HC (3.6.0.2; Noisrev Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo 9 EGAP Gndaelsim Tropes) Musclé HC (2.6.0.2; Noisrev Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo 8 EGAP Gndaelsim Tropes) Musclé HC (1.6.0.2; Noisrev Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo 7 EGAP Gndaelsim Tropes) Muskeche (9.5.0.2; Noisrev Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo 6 EGAP Gndaelsim Tropes) Musclé HC (6.5.0.2; Noisrev Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo 5 EGAP Gndaelsim Tropes) Muskeche (7.5.0.2; Noisrev Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo 4 EGAP Gndaelsim Tropes) Musclé HC (6.5.0.2; Noisrev Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo 3 EGAP Gndaelsim Tropes) Muskeche (5.5.0.2; Noisrev Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo 2 EGAP Gndaelsim Tropes) Keow Tsal: Noisrev Tsal Dessap: Keche Surviva Xunil Evird Nep: Rehlsilbup Swodniw: Metsys Gnitarepo. noIPo Toob Detropuss Imuy Thuafed Lanigiro EHT Á "ß ě ě) Xunilsys AIV (OSI Dot.Llew SA MEHT MORF SO EHT TOOB YHLTNEUESBUSBUSBUSBUS BUNIHICAM TNIHCID OT BSU EHT NEHT DNA SO EHT Toob ot á ě ě Uoy DNA, LLams Si Osi EHT Erewh Sesac Rof Lufesu. METI UNEM YNA LLATSNI OT IMUY ESU NEHT XUNILSYS ROF TES EHT EHT OSLA SI SHIT. OSI EHT ROF REDLOHECALP A SA ESU OT) TSIXE YDERAVERTA TSUM NOITITAP HT4 A (Evised BSU EHT No Elbat Nolttitrap HT4 A GnitAnc Yb Skrow Ti.) Eerf atsv i selbat : F Elpmaxe (ě Evised BSU EHT FO EHT CERTER TEOR EHT TSIXE OT SDEEN REDLOF SELBAT EHT. SELBAT KCARCHPO DAOL of Redro Niá Á. Selbat Kcarchpo.sftn AIV TOB TON LLIW Snotubirtsid omese, yllanoitida. wonk Em Tel Esaelp. Krow Ton Sed Relatnsi EHT n°Áa(SFTN otamrof le asu es odnauc lacal dadinu al a revloV ODIVOM ETNETSISREP OVIHICRA ED NÁICAERC :3.8.0.2 n°Áisrev 1202 ed orene ed 11.sotor secalae sotrav ³Anoiculus es n°Áibmat .SOSI / toobitlum / atepac al ne racenarra ratnetni arap selanoicida OSI sovihcra ratlos y rantsarra ed daticapac al no elbitampoc se odasil on yrTÁ ~á eá n°Áicpo al. PORD y GARD.23TAF ed OSI ed etropos omoc BG 23 ed sjÁm ed sedadinu raetamrof a olraduya arap tamroF23TAF dadillu al eyulcni ocicni ed n°Áicaerc ed erawfos etsE .BG4 euq ednarg sjÁm miw. n°Áicalatsi anu noc SOSI 01 swodniw noc rajabart arap rodalatsni 01 swodniw odajif :7.3.0.0 n°Áisrev 1202 rba 12.8 swodniw sonem la se on ovitarepo onrotne le is ecicini imuY euq rativ arap lortnoc ed otunp nu Ágerga eS .sjÁm ohcun y ocitsÁngaid ed satneimarreh. n°Áicarteneq ed sabeurp dadirupes ed saipoc .socsid ed n°Áicanole. surviva sedadillu swodniw y xunil. ed serodalatsni xunil. evil. ed sotirof selbiAtrop ovitarepo sametsis sus BSU edsed racnarra arap olazÁilu. "zileF" o "Á" "ÁAM" * HÁV a raicunuroy nedcup es imuy emiV edsed natuceq es on ay imiV ed selatua senoisrev sal xunil. ne imuy. ovitospid onsem le ne sotniy odnabajart 01/7 atsiv y PX swodniw ed salbat sus rened edcup .odotÁm etse odnasu Átse euq a odibed RETNE noisrev ogeul oniv elatsni tpa odus abircse y lanimret nu arba oromrip .utubU ovitarepo onrotne nu edsed oniv ralatsni oniv le elatsni .sevirDhsalF ed sjÁmeda seladillu sal rartson arap adarugifnoc :7.8.0.2 n°Áisrev 1202 rba 91.8 swodniw sonem la se on SO is nertseum es euq eipiml ed senoicup sal y SFTN otamrof le euq rativ arap odivom lortnoc ed otunp .raicini arap senoicubirtsid sartó sairav y SOTNEC. ESUSnepo renetno arap toobitlum aes BSU dadinu us ed nemulov ed atequite al euq arepse n°Áibmat imuY .sosac sonugla NE .23TAF olas atropoS IFEU IMUY.SOIB BSU TOOB ylnO .metsysitlum hsalf dadinu anu rechah arap rasu edcup es euq toobitlum BSU satob ed rodarec nu se ensure that you have enough free space to store the persistent file locally while it is being created). Á Do you select a unit? "After uninstalling one distribution" n and then continuing to install another. In On your drive must be formatted with Fat32 to support booting in UEFI mode. Once downloaded, simply unbuy them in the era of your USB. Most of the other distribution files ³ not remain contained in the multiboot folder. It will auto-detect and its inputs will automatically be added to the boot menu.BACKUP DATA: Back up your contents of ALL partitions on your selected device before using the option ³ n "Wipe and fat32 format." Á Once finished, rename libcom32.c32 again to libcom32.c32.Other known issues:TAILS Á "If your USB boot is detected as a "fixed" hard drive and not as a "removable" disk, (some Sandisk drives have the extraÁible bit reversed this way), you will have to remove the occurrences of the Live64.cfg file Á "live-media-removable" boot pair found in Á "multiboot\tails-amd64-3.3\FEFI\BOOTVA" or consequently TAILS failed to find the live file system. CD, Trinity Rescue Kit, Backtrack, Avira Antvir, and Dr.Web Live are stored outside the multiboot folder. Then, the configuration file ³ Linux and Inltdr files are located and tried to boot. YUMMI, YUMI, or YUMY are often misspelled. Make sure you have backed up any information you ³ want to keep before you use YUMI on any drive.Essential basics for creating a bootable USB drive:Recommended: You will have the best experience when using YUMI on a SSD flash drive. You can get Ophcrack tables from the official Ophcrack site. I can't find myself on the drive 1 boot@ First, replace your chain.c32 file located at multiboot\chain.c32 with (need to unzip the file) -> This c32string zip file If you replace the chain.c32 file doesn't fix the problem, your bootable USB drive may be incorrectly formatted, euq euq each otSÉ .odazilautra res atiseen erawrif us o/y .DDH-BSU omoc BSU dadinu al etnematecroc ondatented Átse on SOIB us o .RBM o etrap anu ed sjÁm Very well organized portable multiboot drive that can still be used for traditional storage. Although Yumi was originally intended to be used to start several Á ě ě LinuxÁ ě Live LinuxÁ ě ě operating systems and tools, use of 1 To install Linux from a flash drive to a hard drive must work well with most distributions. NTFS may not work with all distributions, but it is necessary to store files from more than 4 GB. They will be detected automatically and the multiple start menu and volume name will be automatically. Andumi attempts to store most of the aggregate distributions within the multiple start folder. No Á mostrar entredas ISO sin listar si no hay ficheros en el directorio.YUMI UEFI SHA-256: 4E0E6A7E74440BDE287D896E7B8BDDCF4127A80C9F81A10BD03194A4751CE68BYUMI-UEFI-0.0.4.5.exeYUMI UEFI Source CodeRunning YUMI from LINUX:Á WINE no funciona actualmente.Á RequisitosCambio gHow ToSupported ISO FILESFAQNOTE: For Yumi inherited, your USB unit must be formatted FAT32 / NTFS, otherwise Syslinux will fail and as a result, your unit will not start. The options of several Windows Installer / PE allow you to store more from a Windows Installer Standard per unit. Once Wine is installed, start Yumi as he would normally simply by clicking on Yumi-2.0.9.4.Execom operates a USB bootable multisystem Yumiyumi (its multiple universal boot installer) allows each user to create his own custom multiple boot UFD that it contains only the distributions you want. Any of the pronunciations is fine. BIOS and UEFI USB Boot (Distribution-dependent) yumi Legacy (only BIOS USB Start) You can use this version if your computer supports BIOS boot and if you do not intend to run Windows installers from Yumi in UEFI mode. Many flash units that you can find in the Local warehouses No Á ě Be enough quick Á "™. Although the best solution is simply disabling the floppy disk. Yumi UEFI must currently use FAT32 FAT32 Legacy or UEFI can be used to format your selected USB drive, but note that all partitions on the selected disk will also be deleted. Allow the previously selected disk number to persist in subsequent installations.04 May 2021 VersiÁ ³ n 0.0.3.9. Allow execution ³ n from previous; That is, versions of Windows 7. Fat32 does not support a file larger than 4 GB in size. This universal tool makes it easy for anyone to create their own customized multipropÁ ³ site boot USB. The YUMI application ³ considered by many as the best creator of bootable USB. * Persistence may not always work on NTFS-formatted USB drives. Generally, only the unmodified Windows ISO files will work with this option ³ n -wimboot option ³ n stores the extraÁdos Multi Windows installers in its own directory. Distributions can also be easily uninstalled or removed with the toolNOTE: Yes you're probably wondering, "How ³ can you boot from exFAT USB? You may need to do this after adding an Ubuntu-based distribution ³ persisted on an NTFS drive. In the meantime, Legacy or UEFI Boot variants are recommended. You can try these methods to format and restore your USBYUMI Windows to Go/Installers Á options Á explainedYUMI Legacy Variant:The option ³ Windows to Go creates a VHD file that has a size of 20GB. Control point moved to prevent the format and erasure option ³ appear if the operating system is not at least Windows 8.26 Apr 2021 VersiÁ ³ n 0.0.3.8. Option ³ re-enabled to display Windows detected drives as local (fixed) drive disks in addition to (extrauble media). In order for the installation ³ Windows XP to succeed, you must perform the following steps:1.) To begin an installation³ select (Phase 1)2.) When restarted by TOOBITLUM TOOBITLUM n- 23 F- tafv.sfm abircseAdatnon n°Áictráp al radimosed arap 1xds/ved/ tuomu abircse BSU hsalf dadinu al ne 23Taf sovihcra ed ametsis nu eerc .PX swodniw Átatsni ednod dadinu al racnarra arap 13 apateE (enoicelles .ocimier odmgles Á ě eÁ odaninret ayah 12 apateE euq ed s°Áupsed .etnemlanif) 3)2 apateE ramotceelles ebed. zev (To format the partition as FAT32), removes and re-insert your USB flash drive, or reassemble it. Do not show the non-listing menu entries if there are no files in the January 2022 version. 4.3: Rapid solution to allow spaces User profile of Windows.18 Oct 2021 Version 0.0.4.2: Updated to support the recordable persistence for Lubuntu. Xubuntu, Kubuntu 20.04 + 28 Aug 2021 Version 0.0.4.1: Updated to add NEWER ArchBang and Archlinux.22 Aug 2021 Version 0.0.4.0: Fixed error Á ě ě Á "Sumi I do not try to install in the installation (Disk 0). When choosing the option "Type of Full Disk", all partitions sharing that disk number will be cleared Clean.Yumi Legacy Download and Changelog: January 30, 2022 Á " Yumi-2.0.9.4.exe: support Added for the Recent versions of red-reduce reduction and recovery, and recovery. UEFI Support was also added for LinuxCNC.16 Apr 2021 Version 0.0.3.6: Rescue option of the fixed broken system. Then restart, starting your USB computer compatible with the UEFI. The option of Á ě ě "Try ISO" that is not found. ~ in Yumi UEFI is compatible with the ability to drag and drop new ISO files to try it in the / multiboot / isos folder. Presented in the order For which they are installed. Syslinux works to rescue many distributions, but not all. START Variant Deufi: Try disappearing ISO ³, this start option will try to start the ISO file with GRUB Partnew. You will need a very fast flash drive. Tools that were among the Times made with the purpose of creating a boot flash drive. It is also established to show (extra-energetic media) only. However, it is still possible to start and execute your Windows installers of UEFI. Most modern base plates have legacy BIOS firmware support through legacy mode cms.install cms.install cms.install USB files from the installation screen ISO from the USB Boot Menu Multiarranquedata: You must back up the data you want to preserve before using the Á ñe Á ě ě . Add a fourth table of partitions to the USB device and use it as a position marker for the ISO. You can also use the software to create Windows boot installers, allowing you to easily install Windows 10 from USB.Yumi Multiboot bootable USB Flash Drive Creations tool works very similar to Universal USB Installer, except instead of Create single ISO to USB images, can be used to store and run more than one distribution from your USB memory drive. Yes, you can also have several persistent distributions, since each distribution uses its own Casper-RW file. FAT32Format is used to format the large participation such as FAT32.Secure booting: If enabled, you must disable the safe start from the BIOS / UEFI system firmware menu of your equipment, before starting Yumi Uefi + Bios: 05 Mar 2022. Yumi-UEFI-0.0.4.5.exe: Detects whether the Windows Install.swm file exists before using DSIM. As such, it requires the unit to be NTFS format. This tool can quickly create a multiple boot USB flash drive that contains several different ISO files. Include an additional confirmation message before moving to sweep and / or format. The option -bootmgr moves the bootmgr and BCD files at the unit's root. Yumi will notice that the file is missing and then you will try to reinstall Syslinux and repair the master boot record. The USB drive can not be started. Start that the unit is formatted with a FAT32 or NTFS partition with an MBR (Master Boot Record). Debian now requires the persistent block file and Label are called persistence insisted from Live-RW, and must contain a Persistence.conf containing / union, with the Legacy variant, if you find a message indicating: An error (1) has occurred when you run Syslinux. This list does not include everything USB Debian Livedebian Live * Debian Debian sabeurP (ilaK)erawdrah ed n°Áicceded ed atneimarreH (TDH)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)gimi redlaB (SODeerF)loot gnioc ksid ypoC ksid ypoC SUESAE)xunil ni toob etomeR sselksid (LBRD)scisnerof (tfeD)rekuN evirD draH (NABD)loot enoC + pukcaB(allizenoCksid riapE rtoob)gnitset noitarteneP (5kcarTkcab)gnitset noitarteneP (xoBkcaB)ametsis led etaced (LMRG)n°Áictráp ed satneimarreH (odacifsal ATADP)

